




## BS72022 Assembly Manual



















### Counter & Bar Height Swivel Stool



CAUTION

THIS ASSEMBLY MANUAL CONTAINS IMPORTANT SAFETY INFORMATION.

PLEASE READ AND KEEP FOR FUTURE REFERENCE.

<p>A X 1</p>  <p>Metal Back Bracket</p>	<p>B X 1</p>  <p>Wood Back Panel</p>	<p>C X 1</p>  <p>Leg</p>
<p>D X 1</p>  <p>Leg</p>	<p>E X 1</p>  <p>Footrest</p>	<p>F X 1</p>  <p>Seat Cushion</p>
<p>G X 1</p>  <p>Swivel Plate</p>	<p>H X 1</p>  <p>Allen Wrench (M4)</p>	<p>I X 1</p>  <p>Open-Ended Wrench</p>
<p>J X 6</p>  <p>Spring Washer</p>	<p>K X 12</p>  <p>Flat Washer</p>	<p>L X 6</p>  <p>Nut (φ 1/4" )</p>
<p>M X 8</p>  <p>Bolt (φ 1/4" x 12mm)</p>	<p>N X 3</p>  <p>Bolt (φ 1/4" x 30mm)</p>	<p>O X 4</p>  <p>Bolt (φ 1/4" x 30mm)</p>
<p>P X 6</p>  <p>Bolt (φ 1/4" x 35mm)</p>	<p>Q X 4</p>  <p>Felt Pads ( φ 19mm)</p>	<p>Extra Hardware</p>  <p>Touch-up Pen</p>

Please read through the instructions below to familiarize yourself with the parts and steps before assembly.

Make sure all parts and hardware are present before assembly.


**Note: Do NOT use power tools for assembly.**

## ASSEMBLY INSTRUCTIONS


**Note: Assemble on a soft and smooth surface to prevent damage to product finish. Do not overtighten bolts to avoid stripping.**

- 1** Connect Leg (C) and Leg (D) together. Attach Footrest (E) to stool base, using Bolts (O) and Allen Wrench (H).

**Note: Do not fully tighten bolts.**




- 2** Attach Swivel Plate (G) to assembled stool base in Step 1, using Bolts (M). After all 4 bolts are attached, use Allen Wrench (H) to tighten.




- 3** Attach Metal Back Bracket (A) and Wood Back Panel (B) together, using Bolts (N). After all 3 bolts are attached, use Allen Wrench (H) to tighten.

**Note: 1. Please pay attention to the direction of the Wood Back Panel (B). Note: 2. Do not fully tighten bolts.**




- 4** Attach Metal Back Bracket (A) to Seat Cushion (F), using Bolts (P), Flat Washers (K), Spring Washers (J), Nuts (L), Allen Wrench (H), and Open-Ended Wrench (I).

**Note: Do not fully tighten bolts.**




- 5** Attach assembled stool base in Step 2 to assembled seat in Step 3, using Bolts (M). After all 4 bolts are attached, use Allen Wrench (H) to tighten. Fully tighten bolts.




- 6** Put assembled stool on a flat surface. Push legs up or down as necessary to level. **Once level, tighten all bolts.**


**Note: Each leg has an adjustable foot leveler to help level your chair.**



- 7** Complimentary Felt Pads (Q) are included to help protect your floor or make the chair slide easier. If needed, attach the complimentary Felt Pads (Q) to the leg.



- 8** Assembly complete. Enjoy.



## PRODUCT WARRANTY

- 1-year limited on cover against splitting, peeling, and/or tearing.
- 1-year limited on internal and external frame structure.
- 1-year limited on cushioning material, seat springs and mechanism.

## CARE & MAINTENANCE

Water Based Cleaner 'W': Spot clean using the foam only from a water-based cleaning agent such as a mild detergent or non-solvent upholstery shampoo product. Apply foam with a soft in circular motion.

Vaccum when dry.

Do not place furniture in direct sunlight and keep furniture at least 60 cm / 2 feet from heat sources to avoid fading.

## Follow Us



@chitalivingofficial



@chitaliving



@chitaliving



@chitaliving

---

If at any step you need a helping hand, we're always here for you. You can email us, or hop into a live chat on our website - whatever method is convenient for you.



support@chitaliving.com