


BS72020 Assembly Manual

Counter Height Swivel Stool



A CAUTION

THIS ASSEMBLY MANUAL CONTAINS IMPORTANT SAFETY INFORMATION.
PLEASE READ AND KEEP FOR FUTURE REFERENCE.




A x 1	B x 1	C x 1
Seat	Underneath Le	eg Upper Leg
D x 2	E x 2	F x 1
Long Connecting Rod	Short Connecting Ro	d Swivel Plate
H1 x 9	H2 x 9	H3 x 8
1/4"x1" Long Bolt	1/4" Lock Wash	er _{1/4" (19mm)} Big Flat Washer
H4 x 1	H5 x 1	H6 x 8
		<i>411111111</i>
1/4" (12mm) Small Flat Washer	1/4" Allen Wrenc	h #8x1-1/2" Flat Head Screw
H7 x 1	H8 x 8	H9 x 4
0 0 0 0		
Connecting Iron	1/4"x3/4" Short Bo	olt 15mm Felt Pad


Before you begin:

- 1. Check if you have received all parts using the diagram on this page. Do not start the assembly process until all parts are present. If you have not received all parts or received wrong or damaged ones, please contact our customer service and we will get back to you.
- 2. Do not discard any of the packaging until you are certain that you have all the necessary parts for the assembly.
- 3. Do NOT use power tools for assembly.


1 Attach the Underneath Leg (B) to the Upper Leg (C), using Small Flat Washer (H4), Lock Washer (H2), Long Bolt (H1), and Allen Wrench (H5). **Do not fully tighten.**




2 Attach the Long Connecting Rods (D) and the Short Connecting Rods (E) separately to the stool base, using Flat Head Screws (H6) and sharp side of the Allen Wrench (H5). **Do not fully tighten.**




3 Attach the Connecting Iron (H7) to the intersection of Left Leg (B) and Right Leg (C), using Short Bolts (H8) and the flat side of the Allen Wrench (H5). **Do not fully tighten.**




Flip over the stool base. Fully tighten the stool base, using Long Bolt (H1) and Allen Wrench (H5).




5 Attach the Swivel Plate (F) to the assembled stool base, using Big Flat Washers (H3), Lock Washers (H2), Long Bolts (H1), and Allen Wrench (H5). **Do not fully tighten.**



6 Put the assembled stool base on a flat surface. Push legs up or down as necessary to level. Once level, fully tighten all bolts and screws.




Lean down the stool on the ground and attach the assembled stool base and Seat (A), using Big Flat Washers (H3), Lock Washers (H2), Long Bolts (H1), and Allen Wrench (H5). Fully tighten.




8 Turn assembled chair upright and place on a flat surface. Assembly complete.

Note: Each leg has an adjustable foot leveler to help level the chair.



Omplimentary Felt Pads (H9) are included to help protect your floor or make the stool slide easier.



10 Assembly complete. Enjoy.

